

.

---

**From:** Piro, Peter (DPH)  
**Sent:** Thursday, August 09, 2012 1:25 PM  
**To:** Salemi, Charles (DPH); Saunders, Della (DPH); Glazer, Lisa (DPH); Corbett, Kate (DPH); Frasca, Daniela (DPH); Piro, Peter (DPH); Renczkowski, Daniel (DPH); Medina, Nicole (DPH); Tran, Mai (DPH); Lawler, Michael (DPH); Lleshi, Hevis (DPH)  
**Subject:** Mass Assignment Clarification  
**Attachments:** 20120809130755866\_0001.pdf

Please read points #1 and #3. It seems to confirm our experience with system 9.

Peter Piro  
GC/MS Laboratory Supervisor I  
Massachusetts State Police Crime Laboratory Forensic Drug Laboratory, Rm 361  
305 South Street  
Jamaica Plain, Ma 02130  
617-983-6634  
[Peter.Piro@state.ma.us](mailto:Peter.Piro@state.ma.us)

-----Original Message-----

From: DPH-ITS, Scanner (DPH) [<mailto:itsscanner@massmail.state.ma.us>]  
Sent: Thursday, August 09, 2012 1:08 PM  
To: Piro, Peter (DPH)  
Subject:

This E-mail was sent from "DPH-SLI-361-Scanner" (Aficio MP 3350B).

Scan Date: 08.09.2012 13:07:55 (-0400)  
Queries to: [itsscanner@massmail.state.ma.us](mailto:itsscanner@massmail.state.ma.us)